

# CT10967 Chip-On-Flex Specification

PCAP Microchip® mxT1664T3 USB

**Sustaining Quality,  
Exceeding Expectations**

**DawarTouch®**

## 1. General Description

The CT10967 is a chip-on-flex (COF) circuit programmed to work with 8.0in Dawar sensor DW02739. The unprogrammed COF circuit is CT10622. The COF circuit uses the Microchip® mxT1664T3 maXTouch® controller. The communications interface is standard USB 2.0 full speed.

For more information on the mxT1664T3 controller refer to the following Microchip® documentation:

- ▶ mxT1664T3 Datasheet
- ▶ Interfacing with maXTouch Touchscreen Controllers

Both documents are available on [Microchip's website](#).

## 2. Functional Description

The CT10967 controller supports the following features:

- ▶ Up to 16 finger touches
- ▶ Stylus touches (stylus diameter depends on sensor design)
- ▶ Glove touches
- ▶ Thick cover lenses (up to 4mm glass, 2mm plastic)
- ▶ Greater than 100Hz report rate
- ▶ Low latency (<10ms for first touch report from idle mode)
- ▶ Automatic self-calibration
- ▶ Aggressive noise avoidance and noise cancellation features
- ▶ Maximum resolution of 4095 x 4095


Additional tuning support from Dawar is available for specialized applications.

## 3. Electrical Specifications

Parameter	Min	Typ	Max	Units	Remarks
Digital Power Supply (VDD)	-	5	-	V	USB standard
Active Current	-	36	-	mA	Note 1
Sleep Current	-	3.5	-	mA	
X Electrodes	-	-	30	-	
Y Electrodes	-	-	20	-	

*Note 1: Active power depends on configuration settings and number of touches.*

## 4. Connector



Pin	Description
1	5V
2	GND
3	NC
4	NC
5	NC
6	NC
7	D-
8	D+

Mating connector is Molex 504380-0400 or equivalent.

## 5. Environmental Specifications

Parameter	Min	Typ	Max	Units	Remarks
Operating Temperature	-40	-	85	°C	
Storage Temperature	-40	-	90	°C	
Relative Humidity	0	-	95	%RH	Note 1

Note 1: RH is defined at 60°C, non-condensing.

## 6. Operating System Support

Operating System	Supported	Remarks
Microsoft Windows XP	Yes	Note 1
Microsoft Windows 7	Yes	Note 2
Microsoft Windows 8	Yes	Note 2
Microsoft Windows 10	Yes	Note 2
Linux	Yes	Note 3

Note 1: Requires custom mouse emulation program. Contact Daware for support.

Note 2: Compatible with Microsoft HID. No driver required.

Note 3: Kernel version 2.6.38 or later. Refer to <https://github.com/atmel-maxtouch/linux/wiki/USB>.



## 7. Product Life

Dawar Technologies is committed to providing products stability and support to our valued customers throughout the life of the product. All Dawar Touch products meet the following minimum requirements:

- ▶ 5 year minimum product lifecycle
- ▶ 12 month end of life (EOL) notification
- ▶ Last time buy option with EOL notification
- ▶ 60 day change notification for any change that affects form, fit, or function

- NOTES:
- CONNECTOR J1: MOST WELL MW/PC05PSPN-H20-34
  - CONNECTOR J2: MOST WELL MW/PC05PSPN-H20-24
  - MATING CONNECTOR FOR J3: MOLEX 503480-00800 OR EQUIVALENT
  - DO NOT CONNECT TO PINS 3-6 ON J3
  - J3: TRACE PITCH -  $0.50 \pm 0.05$  TRACE WIDTH -  $0.35 \pm 0.03$
  - DIMENSIONS IN PARENTHESIS ARE FOR REFERENCE ONLY

J3	
PIN	FUNCTION
1	USB_5.0V
2	GND
3	NC
4	NC
5	NC
6	NC
7	D-
8	D+



REVISIONS		REV	DATE	DESCRIPTION	BY	DATE
A	1	-	INITIAL RELEASE			
B	1	1437	UPDATED CONTROLLER CONFIGURATION.			

**Controlled** Cassie Ostrowski  
 2019.05.17  
 ENGINEERING / GRAPHICS 09:43:52 -04'00'

**Dawar Touch**  
 921 Ridge Ave., Pittsburgh, PA 15212  
 PH: 800-366-1904 | E-mail: sales@dawar.com

BASE CONTROLLER	FRMWORK NO.	UNIT	TOLERANCE	SHEET	DRGMM BY	DATE
CT10022-A	FM00572-B-2	MM (INCH)	(SEE DRAWING UNLESS SPECIFIED)	1 OF 1	C. OSTROWSKI	10/15/18
DESCRIPTION						DWG REV
ATMEL MAX11864T3 PCAP COF CONTROLLER - USB 3AX24 PIN						1

THIS DOCUMENT IS THE PROPERTY OF DAWAR TOUCH. IT IS TO BE USED ONLY FOR THE PROJECT AND DATE INDICATED THEREON. IT IS NOT TO BE REPRODUCED, COPIED, OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM.



**Revision History**

Revision	Date	Content	Author
A	9-6-2019	Initial Release	Tony Gray
B	1-27-2020	Updated drawing	Tony Gray